



2025



KABLO TAŞIMA SİSTEMLERİ
CABLE TRANSPORT SYSTEMS

HAKKIMIZDA

1985 yılından bu yana edindiğimiz saç kablo taşıyıcıları ve aksesuarları alanındaki bilgi birikimiyle, 1993 yılında SİES ELEKTRİK olarak sektöre adım attık. Geçmişten aldığımız güç ve güvenle, sektörde yeni bir dinamizm yaratarak kısa sürede saygın bir konuma ulaştık.

Piyananın değişen koşullarına uyum sağlayarak sürekli kendimizi yenileyen firmamız, kaliteden ve müşteri memnuniyetinden asla ödün vermeden büyümeye devam etti. Bugün, yurt içi ve yurt dışında birçok büyük ve başarılı projede imzamız bulunmaktadır.

Müşterilerimizin ihtiyaçlarını anlamak, onların öneri ve isteklerini karşılıklı memnuniyet çerçevesinde çözmek, bizim temel ilkelerimizden biridir. SİES ELEKTRİK olarak, her zaman kaliteli hizmet ve güvenilir çözümler sunmayı taahhüt ediyoruz.

Saygılarımızla,

ABOUT US


Since 1985, with the knowledge we have gained in the field of sheet metal cable carriers and accessories, we stepped into the sector as SİES ELEKTRİK in 1993. With the strength and confidence we have gained from the past, we have reached a respected position in a short time by creating a new dynamism in the sector.

Our company, which constantly renews itself by adapting to the changing conditions of the market, has continued to grow without sacrificing quality and customer satisfaction. Today, we have our signature on many large and successful projects in Turkey and abroad.


Understanding the needs of our customers and solving their suggestions and requests within the framework of mutual satisfaction is one of our basic principles. As SİES ELECTRIC, we are always committed to providing quality service and reliable solutions.

Sincerely,






DÖŞEME ALTI KABLO KANALLARI



UNDERFLOOR SYSTEMS


DÖŞEME ALTI KABLO KANALLARI UNDERFLOOR CABLE TRAYS

SİPARİŞ NO ORDER CODE	a (mm)	KALINLIK THICKNESS (mm)	AĞIRLIK WEIGHT (Kg/M)
SDK-16	160	1,00	3,90
SDK-20	200	1,00	4,90
SDK-24	240	1,00	5,60
SDK-16H	160	1,00	4,30
SDK-20H	200	1,00	5,30
SDK-24H	240	1,00	6,00




BİRLEŞTİRME ELEMANLARI STRAIGHT CONNECTORS

SİPARİŞ NO ORDER CODE	a (mm)	KALINLIK THICKNESS (mm)	AĞIRLIK WEIGHT (Kg/Ad)
SDK-16E	160	1,50	0,24
SDK-20E	200	1,50	0,28
SDK-24E	240	1,50	0,32
SDK-16EH	160	1,50	0,25
SDK-20EH	200	1,50	0,29
SDK-24EH	240	1,50	0,33



SONLANDIRMA ELEMANLARI ENDING UNITS



SİPARİŞ NO ORDER CODE	a (mm)	KALINLIK THICKNESS (mm)	AĞIRLIK WEIGHT (Kg/Ad)
SDK-16S	160	1,50	0,28
SDK-20S	200	1,50	0,33
SDK-24S	240	1,50	0,38
SDK-16SH	160	1,50	0,30
SDK-20SH	200	1,50	0,35
SDK-24SH	240	1,50	0,40



BOŞ BUAT
EMPTY JUNCTION BOXSİPARİŞ NO
ORDER CODEAÇIKLAMA
EXPLANATION


SBB-P

PRİZ KUTUSU

Min. : 64mm
Max. : 80mmBOŞ BUAT
EMPTY JUNCTION BOXSİPARİŞ NO
ORDER CODEAÇIKLAMA
EXPLANATION

SBB

BOŞ BUAT



Ergonomik ve modüler tasarımı sayesinde birçok kullanım kombinasyonuna sahip olan bu model ihtiyaç duyulan her alanda çözüm sağlaması amacıyla tasarlanmıştır. Yoğun kablo kullanımına uygun olup ayarlanabilir yükseklik seviyesi özelliği ile esnek bir altyapı oluşturulmasını sağlar. Dayanıklı plastik malzemeden tek renk olarak üretilen D74, UL94 standardına göre V2 alev dayanıklılık sınıfındadır.


This model, which has many usage combinations thanks to its ergonomic and modular design, is designed to provide solutions in every area needed. It is suitable for intensive cable use and provides a flexible infrastructure with its adjustable height level feature. D74, produced in a single color from durable plastic material, is in the V2 flame resistance class according to the UL94 standard.

PRİZ KUTUSU 14 MODÜL
SOCKET BOX 14 MODULE

SİPARİŞ NO ORDER CODE	AÇIKLAMA	AĞIRLIK WEIGHT (Kg/Ad)
SPK 14	PRİZ KUTUSU	0,46

RAL
7035

RAL
9005




Teknik Çizim



78mm



269mm



269mm

Birçok çalışma alanına kolayca adapte olabilen 14 modül kapasiteye sahip bu model şap altında veya yükseltilmiş döşeme sistemlerinde buata gerek olmadan kullanılabilir. Ürünün montajı oldukça pratik olup tasarımının esnek yapısı sayesinde istenilen gereksinimler hızlıca karşılanabilir. Gövdesi ve kapağı dayanıklı plastik malzemeden üretilen priz kutuları , 2 farklı renk seçeneğine sahiptir. Aynı zamanda UL94 standardına göre V2 alev dayanıklılık sınıfındadır.

This model, which has a capacity of 14 modules and can be easily adapted to many work areas, can be used with a junction box under screed or without a junction box in raised floor systems. The installation of the product is quite practical and the desired requirements can be met quickly thanks to the flexible structure of its design. The socket boxes, whose body and cover are made of durable plastic material, have 2 different color options. It is also in the V2 flame resistance class according to the UL94 standard.

PRİZ KUTUSU 18 MODÜL
JUNCTION BOX- 18 MODULE

SİPARİŞ NO ORDER CODE	AÇIKLAMA EXPLANATION
SPK-18	PRİZ KUTUSU


RAL
7035RAL
9005

Teknik Çizim

78mm



233mm



255mm

Birçok çalışma alanına kolayca adapte olabilen 18 modül kapasiteye sahip bu modeller şap altında veya yükseltilmiş döşeme sistemlerinde buata gerek olmadan kullanılabilir. Ürünün montajı oldukça pratik olup tasarımının esnek yapısı sayesinde istenilen gereksinimler hızlıca karşılanabilir. Gövdesi ve kapağı dayanıklı plastik malzemeden üretilen priz kutuları , 2 farklı renk seçeneğine sahiptir. Aynı zamanda UL94 standardına göre V2 alev dayanıklılık sınıfındadır

This model, which has a capacity of 18 module and can be easily adapted to many work areas, can be used with a junction box under screed or without a junction box in raised floor systems. The installation of the product is quite practical and the desired requirements can be met quickly thanks to the flexible structure of its design. The socket boxes, whose body and cover are made of durable plastic material, have 2 different color options. It is also in the V2 flame resistance class according to the UL94 standard.

PRİZ KUTUSU 12 MODÜL - ZEMİNE TESPİT JUNCTION BOX 12 MODULE -


SİPARİŞ NO ORDER CODE	AÇIKLAMA EXPLANATION
SPK 12	PRİZ KUTUSU

RAL
7012

RAL
7035

RAL
9005

RAL
9016




Teknik Çizim

65mm



164mm




151mm

SPK 12 modeli kişiye özel donatılabilen standart 8 modül ve 4 adet keystone jack giriş uyumlu kapasitesi ile yükseltilmiş döşeme sistemi uygulanmış alanlarda enerji, veri ve multimedia bağlantılarına döşeme üzerinden kolay ulaşım sağlar. Üründe bulunan iki kapak açıldığında sürgülü sistem sayesinde gövdenin içine saklanabilir. Bu özelliği ile kapağı açık durumdayken kötü görüntü ve yer kaybının önüne geçilmiş olur. Dayanaklı plastik malzemeden üretilmiş SPK 12 standart olarak 4 farklı renk seçeneği ile istenilen her zeminde kullanıma uygundur.

SPK 12 model provides easy access to energy, data and multimedia connections from the floor in areas where the raised floor system is applied with its standard 8 modules and 4 keystone jack input compatible capacity that can be equipped with a custom design. When the two covers on the product are opened, it can be hidden inside the body thanks to the sliding system. With this feature, bad appearance and space loss are prevented when the cover is open. SPK 12, which is made of durable plastic material, is suitable for use on any desired floor with 4 different color options as standard.

PRİZ KUTUSU 12 MODÜL
JUNCTION BOX 12 MODULE


SİPARİŞ NO ORDER CODE	AÇIKLAMA EXPLANATION
SPK 12	PRİZ KUTUSU

RAL
7012RAL
7035RAL
9005RAL
9016

Teknik Çizim

164mm

53mm



151mm

Bu model kişiye özel donatılabilen standart 8 modül ve 4 adet keystone jack giriş uyumlu kapasitesi ile döşeme altı veya yükseltilmiş döşeme sistemi uygulanmış alanlarda enerji, veri ve multimedia bağlantılarına döşeme üzerinden kolay ulaşım sağlar. Üründe bulunan iki kapak açıldığında sürgülü sistem sayesinde gövdenin içine saklanabilir. Bu özelliği ile kapağı açık durumdayken kötü görüntü ve yer kaybının önüne geçilmiş olur. Döşeme altı montajlar için özel geliştirilen aparatlar sayesinde 4 noktadan zemine sabitlenebilir. 14 ve 18' lik plastik boru ve spiraller sayesinde ürüne 4 noktadan kablo girişi yapılabilir. Dayanaklı plastik malzemeden üretilen SPK 12 standart olarak 4 farklı renk seçeneği ile istenilen her zeminde kullanıma uygundur.

This model provides easy access to energy, data and multimedia connections through the floor in areas where underfloor or raised floor systems are applied with its standard 8 modules and 4 keystone jack input compatible capacity that can be equipped with a custom design. When the two covers on the product are opened, they can be hidden inside the body thanks to the sliding system. With this feature, bad appearance and space loss are prevented when the cover is open. It can be fixed to the floor from 4 points thanks to the apparatus specially developed for underfloor installations. Cable entry can be made to the product from 4 points thanks to 14 and 18 plastic pipes and spirals. SPK 12, which is produced from durable plastic material, is suitable for use on any desired floor with 4 different color options as standard.

PRİZ KUTUSU 6 MODÜL - ZEMİNE TESPİT
SOCKET BOX 6 MODULE - GROUND DETECTING

SİPARİŞ NO ORDER CODE	AÇIKLAMA EXPLANATION
SPK 12-Y	PRİZ KUTUSU

RAL
7012

RAL
7035

RAL
9005


RAL
9016



Teknik Çizim



65mm



Ø140mm

Bu model kişiye özel donatılabilen standart 4 modül ve 2 adet keystone jack giriş uyumlu kapasitesi ile döşeme altı veya yükseltilmiş döşeme sistemi uygulanmış alanlarda enerji, veri ve multimedya bağlantılarına döşeme üzerinden kolay ulaşım sağlar. Üründe bulunan özel sürgü sistemi sayesinde kapağı açıldığında gövdenin içinde saklanabilir. Döşeme altı montajlar için özel geliştirilen aparatlar sayesinde 3 noktadan zemine sabitlenebilir. 14 ve 18'lik plastik boru ve spiraller ürüne 3 noktadan girişi yapılabilir. Dayanaklı plastik malzemeden üretilen SPK 12 Y, standart olarak 4 farklı renk seçeneği ile kullanılmak istenen her zemine uyum sağlayabilir.

This model provides easy access to energy, data and multimedia connections through the floor in areas where underfloor or raised floor systems are applied with its standard 4 modules and 2 keystone jack input compatible capacity that can be equipped with a custom design. Thanks to the special sliding system in the product, it can be stored inside the body when the cover is opened. It can be fixed to the floor from 3 points thanks to the apparatus specially developed for underfloor installations. 14 and 18 plastic pipes and spirals can be entered into the product from 3 points. SPK 12 Y, which is produced from durable plastic material, can adapt to any desired floor with 4 different color options as standard.

PRİZ KASASI - 6 MODÜL
SOCKET BOX - 6 MODULE

SİPARİŞ NO ORDER CODE	AÇIKLAMA EXPLANATION
SPK 6	PRİZ KUTUSU

RAL
7012RAL
7035RAL
9005RAL
9016

Teknik Çizim


53mm




Ø 140mm

Dairesel çizgiyle tasarlanan bu model kişiye özel donatılabilen standart 4 modül ve 2 adet keystone jack giriş uyumlu kapasitesi ile yükseltilmiş döşeme sistemi uygulanmış alanlarda enerji, veri ve multimedia bağlantılarına döşeme üzerinden kolay ulaşım sağlar. Üründe bulunan özel sürgü sistemi sayesinde kapağı açıldığında gövdenin içinde saklanabilir. Bu özelliği ile kapağı açık durumdayken kötü görüntü ve yer kaybının önüne geçilmiş olur. Dayanaklı plastik malzemeden üretilen SPK 6, standart olarak 4 farklı renk seçeneği ile kullanılmak istenen her zemine uyum sağlayabilir.

Designed with circular lines, this model provides easy access to energy, data and multimedia connections over the floor in areas where a raised floor system is applied, with its standard 4 modules that can be equipped with a custom design and 2 keystone jack input compatible capacity. Thanks to the special sliding system in the product, it can be stored inside the body when the cover is opened. With this feature, bad appearance and space loss are prevented when the cover is open. SPK 6, produced from durable plastic material, can adapt to any desired surface with 4 different color options as standard.



DİKEY ÇIKIŞ ELEMANLARI VERTICAL OUTLET ELEMENTS			
SİPARİŞ NO ORDER CODE	a (mm)	KALINLIK THICKNESS (mm)	AĞIRLIK WEIGHT (Kg/Ad)
SDK-16Ç	160	1,50	1,50
SDK-20Ç	200	1,50	1,75
SDK-24Ç	240	1,50	2,00
SDK-16ÇH	160	1,50	1,55
SDK-20ÇH	200	1,50	1,80
SDK-24ÇH	240	1,50	2,15



STP



SUPS

PRİZLER SOCKETS		
SİPARİŞ NO ORDER CODE	AÇIKLAMA	AĞIRLIK WEIGHT (Kg/Ad)
STP	TOPRAKLI PRİZ	0,18
SUPS	UPS PRİZİ	0,24
SDT	DATA PRİZİ	0,30
STLP	TELEFON PRİZİ	0,35
SDTP-K	PRİZ KAİDESİ	0,40




SDT



STLP





SİES®

GEMİ TİPİ KABLO TAŞIYICILARI MARINE TYPE CABLE CARRIERS



FABRİKA - FACTORY

Yeşilce Mah. Daim Sokak No:6/A Kağıthane/ İstanbul
(0212) 324 00 78 - 324 00 98 - 324 00 99
(0507) 299 32 63
www.sies.com.tr
sies@sies.com.tr

PERPA SATIŞ OFİSİ-PERPA SALES OFFICE

Perpa Ticaret Merkezi A Blok Kat : 5 No: 104
Okmeydanı - İstanbul
(0541) 240 80 75